

<b>1.3.1 Taxonomic status of <i>Panulirus</i> species</b>	<b>24</b>
<b>1.3.2 Races of <i>Panulirus homarus</i></b>	<b>28</b>
<b>1.3.3 Adult habitat</b>	<b>30</b>
<b>1.3.4 Eggs and spawning</b>	<b>31</b>
<b>1.3.5 Life history</b>	<b>33</b>
<b>1.4 Aims and objective of the present study</b>	<b>36</b>
<b>1.5 Chapter summary</b>	<b>38</b>


## CHAPTER 2

<b>2. Study area and sampling methods.</b>	<b>40</b>
<b>2.1 Study area</b>	<b>40</b>
<b>2.1.1 Location of sampling sites</b>	<b>41</b>
<b>2.1.2 Coast line and sublittoral topography</b>	<b>42</b>
<b>2.1.3 The surf zone</b>	<b>42</b>
<b>2.1.4 The rainfall and temperature pattern</b>	<b>43</b>
<b>2.1.5 Inshore currents</b>	<b>44</b>
<b>2.2 Sampling methods</b>	<b>45</b>
<b>2.2.1 Introduction</b>	<b>45</b>
<b>2.2.2 Spiny lobster sampling along the south coast</b>	<b>46</b>
<b>2.2.2.1 Collection of data</b>	<b>46</b>
<b>2.2.2.2 Biological aspects</b>	<b>47</b>

<b>2.2.2.3 Catch and effort statistics</b>	<b>49</b>
<b>2.2.2.4 Morphological parameters</b>	<b>50</b>
<b>2.2.2.5 Hydrological parameters</b>	<b>51</b>
<b>2.2.2.6 Lunar phase</b>	<b>51</b>
<b>2.3 Experimental fishing and diving operations</b>	<b>52</b>
<b>2.3.1 Introduction</b>	<b>52</b>
<b>2.3.2 Survey design</b>	<b>53</b>
<b>2.3.2.1 Fishing gear</b>	<b>53</b>
<b>2.3.2.2 Craft</b>	<b>54</b>
<b>2.3.2.3 Recording of data</b>	<b>55</b>
<b>2.3.3 Diving operations</b>	<b>55</b>
<b>2.3.4 Statistical analysis</b>	<b>56</b>
<b>2.4 Chapter summary</b>	<b>57</b>

## CHAPTER 3

<b>3 Reproductive Biology</b>	<b>58</b>
<b>3.1 Introduction</b>	<b>58</b>
<b>3.2 Materials and Methods</b>	<b>58</b>
<b>3.3 Determination of gonad maturity stages</b>	<b>59</b>
<b>3.4 Maturity indices</b>	<b>63</b>



<b>3.5 Spawning season</b>	<b>65</b>
<b>    3.5.1 Introduction</b>	<b>65</b>
<b>    3.5.2 Results and analysis</b>	<b>66</b>
<b>    3.5.3 Comparison with previous work</b>	<b>69</b>
<b>3.6 Length and age at maturity</b>	<b>72</b>
<b>    3.6.1 Criteria for maturity</b>	<b>72</b>
<b>    3.6.2 Estimation of size at maturity</b>	<b>73</b>
<b>    3.6.3 Results and analysis</b>	<b>75</b>
<b>        3.6.3.1 Length at maturity</b>	<b>75</b>
<b>        3.6.3.2 Age at maturity</b>	<b>78</b>
<b>    3.6.4 Discussion</b>	<b>79</b>
<b>3.7 Sex ratio</b>	<b>84</b>
<b>    3.7.1 Data analysis</b>	<b>84</b>
<b>    3.7.2 Discussion</b>	<b>86</b>
<b>3.8 Fecundity</b>	<b>88</b>
<b>    3.8.1 Introduction</b>	<b>88</b>
<b>    3.8.2 Materials and methods</b>	<b>90</b>
<b>        3.8.2.1 Counting preserved eggs</b>	<b>91</b>
<b>    3.8.3 Results and analysis</b>	<b>94</b>
<b>    3.8.4 Relationship of fecundity to other parameters</b>	<b>95</b>

<b>3.8.4.1 Fecundity related to carapace length</b>	<b>95</b>
<b>3.8.4.2 Fecundity related to body weight</b>	<b>96</b>
<b>3.8.4.3 Fecundity related to age</b>	<b>99</b>
<b>3.8.5 Reproductive potential</b>	<b>102</b>
<b>3.8.6 Discussion</b>	<b>106</b>
<b>3.9 Ova-loss and egg-loss estimates</b>	<b>108</b>
<b>3.9.1 Criteria for ova-loss and egg-loss estimates</b>	<b>108</b>
<b>3.9.2 Results and analysis</b>	<b>108</b>
<b>3.9.3 Discussion</b>	<b>111</b>
<b>3.10 Chapter summary</b>	<b>113</b>

## **CHAPTER 4**

<b>4. FISHERY</b>	<b>115</b>
<b>4.1 Introduction</b>	<b>115</b>
<b>4.2 Fishing crafts and gear</b>	<b>115</b>
<b>4.3 Fishing time and measurement of fishing effort</b>	<b>119</b>
<b>4.4 Composition of the total catch</b>	<b>123</b>
<b>4.5 Species composition of spiny lobsters</b>	<b>124</b>
<b>4.6 Disposal of catch</b>	<b>125</b>

<b>4.7 Analysis of the catch in recent years</b>	<b>126</b>
<b>4.8 Effort and Catch Per Unit Effort(CPUE)</b>	<b>127</b>
<b>4.8.1 Introduction</b>	<b>127</b>
<b>4.8.2 Catch per unit effort in trammel net fishery</b>	<b>129</b>
<b>4.8.3 Analysis of effort in recent years</b>	<b>130</b>
<b>4.8.4 Analysis of catch and effort data of the study period</b>	<b>130</b>
<b>4.8.5 Catch per craft night</b>	<b>132</b>
<b>4.9 Maximum sustainable yield (MSY)</b>	<b>132</b>
<b>4.10 Rainfall and monsoonal effect on CPUE</b>	<b>133</b>
<b>4.11 Influence of sea water temperature on CPUE</b>	<b>134</b>
<b>4.12 Influence of salinity on CPUE</b>	<b>139</b>
<b>4.13 Influence of turbidity on CPUE</b>	<b>139</b>
<b>4.14 Influence of lunar cycle on CPUE</b>	<b>139</b>
<b>4.15 Discussion</b>	<b>144</b>
<b>4.16 Chapter summary</b>	<b>149</b>

## CHAPTER 5

<b>5. Population dynamics</b>	<b>152</b>
-------------------------------	------------

<b>5.1 Introduction</b>	<b>152</b>
<b>5.2 Length-weight relationship and relative condition</b>	<b>157</b>
<b>5.2.1 Introduction</b>	<b>157</b>
<b>5.2.2 Analysis of data</b>	<b>160</b>
<b>5.2.2.1 Length-weight relationship</b>	<b>160</b>
<b>5.2.2.2 Condition factor (<math>\bar{K}</math>)</b>	<b>162</b>
<b>5.3 Estimation of growth parameters</b>	<b>163</b>
<b>5.3.1 Estimation of growth parameters using ELEFAN method</b>	<b>163</b>
<b>5.3.1.1 Restructuring of length frequency data</b>	<b>165</b>
<b>5.3.2 Growth performance index (<math>\phi</math>)</b>	<b>167</b>
<b>5.3.2.1 Theory of growth performance index</b>	<b>167</b>
<b>5.3.2.2 Estimation of <math>\phi</math></b>	<b>168</b>
<b>5.3.3 Estimation of growth constant(K) from <math>\phi</math></b>	<b>168</b>
<b>5.3.4 Estimation of growth parameters from the Wetherall method</b>	<b>169</b>
<b>5.4 Recruitment pattern</b>	<b>171</b>
<b>5.5 Estimation of mortality rates</b>	<b>172</b>
<b>5.5.1 Estimation of total mortality rate (Z)</b>	<b>172</b>
<b>5.5.1.1 Length-converted catch curve method</b>	<b>173</b>

<b>5.5.1.1 Theory of length-converted catch curve and computation procedure.</b>	<b>173</b>
<b>5.5.1.2 Estimation of total mortality rate (Z) using length converted catch curve</b>	<b>176</b>
<b>    5.5.1.2 Beverton and Holt method</b>	<b>177</b>
<b>5.5.2 Estimation of natural mortality rate (M)</b>	<b>178</b>
<b>    5.5.2.1 Pauly's formula</b>	<b>178</b>
<b>    5.5.2.2 Rikhter and Efanov method</b>	<b>179</b>
<b>5.5.3 Estimation of fishing mortality rate (F)</b>	<b>180</b>
<b>5.6 Estimation of survival rates (S)</b>	<b>180</b>
<b>5.7 Exploitation rate (E)</b>	<b>181</b>
<b>5.8 Estimating stock numbers and fishing mortality using Virtual Population Analysis (VPA)</b>	<b>181</b>
<b>    5.8.1 Length-structured VPA (VPA 11)</b>	<b>181</b>
<b>        5.8.1.1 Computation procedure in VPA 11</b>	<b>182</b>
<b>        5.8.1.2 Estimating stock numbers and fishing mortality using VPA 11</b>	<b>184</b>
<b>5.9 Yield-per-recruit analysis</b>	<b>187</b>
<b>    5.9.1 Assumptions behind yield-per-recruit analysis</b>	<b>187</b>
<b>    5.9.2 Computation of relative yield-per-recruit values</b>	<b>188</b>
<b>5.10 Discussion</b>	<b>189</b>
<b>5.11 Chapter summary</b>	<b>199</b>

**CHAPTER 6.**

<b>6. Co-occurring <i>Panulirus</i> species</b>	<b>201</b>
<b>    6.1 Introduction</b>	<b>201</b>
<b>    6.2 Other <i>Panulirus</i> species</b>	<b>203</b>
<b>6.2.1 <i>Panulirus longipes</i></b>	<b>203</b>
<b>6.2.2 <i>Panulirus penicillatus</i></b>	<b>204</b>
<b>6.2.3 <i>Panulirus ornatus</i></b>	<b>205</b>
<b>6.2.4 <i>Panulirus versicolor</i></b>	<b>206</b>
<b>6.2.5 <i>Panulirus polypagrus</i></b>	<b>207</b>
<b>    6.3 Experimental fishing</b>	<b>208</b>
<b>6.3.1 Results of the fishing trials</b>	<b>209</b>
<b>    6.4 Habitat investigations</b>	<b>218</b>
<b>6.4.1 Diving site</b>	<b>218</b>
<b>6.4.2 Results of the diving operations</b>	<b>219</b>
<b>6.4.3 Analysis of data</b>	<b>223</b>
<b>    6.5 Discussion</b>	<b>226</b>
<b>    6.6 Chapter summary</b>	<b>234</b>

**-xi-**

**CHAPTER 7**

<b>7. Overall summary and recommendations</b>	<b>236</b>
<b>References</b>	<b>247</b>
<b>Appendix</b>	
<b>Papers published</b>	